



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/002,134	12/05/2001	Kouichi Anno	HITA.0122	1897
38327	7590	03/22/2005	EXAMINER	
REED SMITH LLP 3110 FAIRVIEW PARK DRIVE, SUITE 1400 FALLS CHURCH, VA 22042			DUONG, THOI V	
			ART UNIT	PAPER NUMBER
			2871	

DATE MAILED: 03/22/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO/ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
--------------------------------	-------------	---	---------------------

10/002,134

12/05/01

Anno

HITA. 0122

EXAMINER

Thai V. Duong

ART UNIT

PAPER

2871

0604

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

The amendment under 37 CFR 1.312 filed on June 15, 2004 before payment of the issue fee on June 16, 2004 is considered and will be entered.



ROBERT H. KIM  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2800

# **Notice of Allowability**

Application No.

10/002,134

Examiner

Thoi V Duong

Applicant(s)

ANNO ET AL.

Art Unit

2871

*Am*

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--  
All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the Response and Amendment filed 02/10/2004.
2. ☒ The allowed claim(s) is/are 1-3 and 5-13.
3. ☒ The drawings filed on 05 December 2001 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All b) ☐ Some\* c) ☐ None of the:
    1. ☒ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## **Attachment(s)**

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date 0204
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_.
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_.

### **DETAILED ACTION**

1. This office action is in response to the Amendment filed February 10, 2004.

Accordingly, claim 1 was amended and claim 4 was cancelled. Currently, claims 1-3 and 5-13 are pending in this application.

#### ***Allowable Subject Matter***

2. Claims 1-3 and 5-13 are allowed.

The following is an examiner's statement of reasons for allowance: none of the prior art of record fairly suggests or shows all of the limitations as claimed. Specifically,

Re claim 1, none of the prior art of record discloses, in combination with other limitations as claimed, a liquid crystal display comprising pixel electrodes having protruding portions, which are formed of island-like multi-layered material layers, with two or more kinds which are different in shape from each other when the pixel electrodes are viewed in a plan view, wherein in each island like multi-layered material layer, the center position of the shape of one layer is offset from the center position of the shape of other layer.

The most relevant references, USPN 6,407,784 B1 of Kanou et al. and Pub. No. US 2003/0053016 A1 of Kubota et al., fail to disclose or suggest a mixed configuration of the protruding portions with two of more different shapes when viewed in a plan view. The Kanou et al.'s reference only discloses that the protruding portions may be formed pillar-shaped or striped-shaped (col. 6, lines 18-19). Meanwhile, as shown in Figs. 60 and 61, the Kubota et al.'s reference only discloses that the center portion of the shape

Art Unit: 2871

of one layer is offset from the center portion of the shape of other layer in each multi-layered protrusion which has a same shape in plan view.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

**Conclusion**


3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thoi V. Duong whose telephone number is (571) 272-2292. The examiner can normally be reached on Monday-Friday from 8:30 am to 4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Kim, can be reached at (571) 272-2293.

Thoi Duong



02/24/2004



ROBERT M. KIM  
SUPERVISOR  
TECHNICAL CENTER